ELSEVIER

Journal of Materials Processing Technology 132 (2003) 369

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volumes 132

Achar, D.R.G., 293
Adeyemi, M.B., 274
Armstrong, C.G., 21

Babitsky, V.I., 157
Bakr, N.A., 138
Besshi, T., 269
Buschbeck, R., 313
Byrne, G., 28

Chan, K., 114
Chan, L.C., 95
Chan, S.M., 95
Chaturvedi, R.C., 262
Cho, J.R., 365
Choi, J.H., 168
Cléry, P., 119
Colgan, M., 35

Dabade, U.A., 305
Davim, J.P., 250, 340
Davis, C., 16
Dhande, S.G., 323
Dhavlikar, M.N., 90
Dixit, U.S., 203
Du, H., 73
Durgalakshmi, D., 293

Ekoja, M., 274
El-Axir, M.H., 82
El-Khabeery, M.M., 82
Evans, P., 215

Fafard, M., 119
Fan, Z., 215
Fang, H., 198
Fang, X., 215
Filgueira, M., 132
Fu, Y., 73

Grunewald, U., 9

Hamdan, M.M., 1
Hamouda, A.M.S., 1, 49
How, C.K., 1
Hryniewicz, T., 219

İzciler, M., 67

Joshi, S.S., 305
Jou, M., 102

Kalashnikov, A.N., 157
Kang, S.S., 365
Kanzaki, S., 177
Khalid, Y.A., 49
Kim, I.Y., 168
Kim, J.-D., 58
Kim, N.-H., 58
Kim, T.G., 365
King, D., 42
Krishna, B.V., 293
Kudou, K., 255
Kulkarni, M.S., 90

Lacroix, R., 119
Lam, Y., 184
Lang, H., 313
Lau, K.S., 114
Lee, D.G., 168
Lee, E.-S., 58
Lee, T.C., 95
Lu, A., 198

Maduraimuthu, V., 262
Mahdi, E., 49
Maltais, Y., 119
Mannan, S.L., 262
Mariappan, V., 90
McGrath, J., 16, 16
Meadows, A., 157
Miao, J., 73
Mills, B., 143
Mishra, S.C., 143
Mohanty, B.C., 143
Monaghan, J., 35
Moon, Y.H., 365
Mucha, H., 313
Mullany, B., 28
Muratoglu, M., 67

Nayak, B.B., 143
Nykiel, T., 219

Odeshi, A.G., 313
Ohdar, R.K., 227
Okada, S., 255
Omirou, S., 332
Ono, T., 255
Onuh, S.O., 274
Ou, H., 21
Ozdemir, I., 235

Pandey, P.M., 323
Pasha, S., 227
Pinatti, D.G., 132
Prasad, Y.V.R.K., 262
Price, M.A., 21

Radin Umar, R.S., 1
Ralph, B., 215
Ramakrishnan, N., 305
Reddy, N.V., 323
Richard, D., 119
Risbood, K.A., 203

Sahari, B.B., 49
Sahasrabudhe, A.D., 203
Sahin, S., 235
Sahoo, S.K., 286
Saigal, A., 149
Sasaki, S., 235
Sato, T., 269
Sivaprasad, P.V., 262
Sweeney, K., 9

Tamatani, J., 269
Tanaka, T., 269
Tang, F., 198
Tansey, T., 42
Thomson, P.F., 184
Tokura, H., 353
Toparli, M., 235

Underhill, R., 215

Varis, J.P., 242
Vasudevan, M., 262
Venugopal, P., 293
Venugopal, S., 262, 262

Wakuda, M., 177
Wang, J., 345
Wielage, B., 313
Wijesundara, A.A.H.P., 157
Wong, W., 114
Wu, S., 198

Yamauchi, Y., 177
Yang, F., 345
Yang, W., 149
Yeung, K.W., 114
Yoshikawa, M., 353
Yuen, D.D.W., 184

Zhang, B., 345, 353
Zhao, H., 198
Zheng, X.L., 353
Zhou, Z., 184

Elsevier Science B.V.
PII: S0924-0136(02)01028-2

ELSEVIER

Journal of Materials Processing Technology 132 (2003) 370–374

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volumes 132

ABAQUS
Numerical analysis of residual stress in hot-rolled steel strip on the run-out table, 184
Abrasive jet machining
Material response to particle impact during abrasive jet machining of alumina ceramics, 177
Absorbing dewax
Joining of ceramic green bodies and sintering characteristics, 269
AE signals
Plunge grinding characteristics using the current signal of spindle motor, 58
Aerofoil sections
Die shape optimisation in forging of aerofoil sections, 21
Al-1050 sheet
Effect of tool temperature on the reduction of the springback of aluminum sheets, 365
Al–Cu/SiC composite
Wear behaviour of SiC reinforced 2124 Al alloy composite in RWAT system, 67
Alumina
Joining of ceramic green bodies and sintering characteristics, 269
Alumina ceramic
Material response to particle impact during abrasive jet machining of alumina ceramics, 177
Analysis of variance
Study of drilling metal–matrix composites based on the Taguchi techniques, 250
Design of optimisation of cutting parameters for turning metal matrix composites based on the orthogonal arrays, 340
Artificial neural network
Prediction of the process parameters of metal powder preform forging using artificial neural network (ANN), 227
Artificial neural networks
Prediction of surface roughness and dimensional deviation by measuring cutting forces and vibrations in turning process, 203
Austenitic stainless steel
Validation of processing maps for a 15Cr–15Ni–2.2Mo–0.3Ti austenitic stainless steel using hot forging and rolling tests, 262
Automotive
The application of roll forming for automotive structural parts, 9

Bezier curves
NC machining for revolved and swept surfaces with free-form profiles, 332
Bimaterial
Modelled and measured residual stresses in a bimaterial joint, 235
Bismaleimide (BMI)
Development of the simple dielectric sensor for the cure monitoring of the high temperature composites, 168
Burnishing process
Influence of orthogonal burnishing parameters on surface characteristics for various materials, 82

Carbon/carbon composite
A cost effective route for the densification of carbon–carbon composites, 313
Ceramics
Grinding induced damage in ceramics, 353
Chemical mechanical planarisation
The effect of thin film stress levels on CMP polish rates for PETEOS wafers, 16
Chip cross-sectional area
Analysis of surface roughness and chip cross-sectional area while machining with self-propelled round inserts milling cutter, 305
Circular–cylindrical composite shell
Effect of hybridisation on crushing behaviour of carbon/glass fibre/epoxy circular–cylindrical shells, 49
Clinching
The suitability of clinching as a joining method for high-strength structural steel, 242
CMP
The effect of slurry viscosity on chemical–mechanical polishing of silicon wafers, 28
CNC
NC machining for revolved and swept surfaces with free-form profiles, 332
Condensation
Condensation process and physical properties of GeSe(In, Cd) thin films prepared by semi-closed space technique, 138
Constitutive law
Carbon to cast iron electrical contact resistance constitutive model for finite element analysis, 119
Controllable parameters
Real time monitoring weld quality of resistance spot welding for the fabrication of sheet metal assemblies, 102
Converging dies
An analysis of plastic flow through polygonal linearly converging dies: as applied to forward metal extrusion, 286
Cost calculation
The application of roll forming for automotive structural parts, 9
Crater wear
Crater wear characteristics of an Fe-diffused carbide cutting tool, 255
Crater wear suppression model
Crater wear characteristics of an Fe-diffused carbide cutting tool, 255
Crushing behaviour
Effect of hybridisation on crushing behaviour of carbon/glass fibre/epoxy circular–cylindrical shells, 49
Cure monitoring
Development of the simple dielectric sensor for the cure monitoring of the high temperature composites, 168
Current signals
Plunge grinding characteristics using the current signal of spindle motor, 58

Elsevier Science B.V.
PII: S0924-0136(02)01029-4

Cutter path generation
NC machining for revolved and swept surfaces with free-form profiles, 332
Cutting forces
Prediction of surface roughness and dimensional deviation by measuring cutting forces and vibrations in turning process, 203

Deep drawing
Deep drawing process: analysis and experiment, 35
Densification
A cost effective route for the densification of carbon–carbon composites, 313
Design of experiments
Deep drawing process: analysis and experiment, 35
Diamond
Patterning of diamond microstructures on Si substrate by bulk and surface micromachining, 73
Diamond grinding
Grinding induced damage in ceramics, 353
Diamond wires
In situ diamond wires. Part II. The bronze 4 wt.% diamond composite cutting rope, 132
Die angle
Effects of die geometry and extrusion speed on the cold extrusion of aluminium and lead alloys, 274
Die shape optimisation
Die shape optimisation in forging of aerofoil sections, 21
Die-elasticity
Die shape optimisation in forging of aerofoil sections, 21
Dielectric sensor
Development of the simple dielectric sensor for the cure monitoring of the high temperature composites, 168
Differential thermal expansion
Studies on cold solid state joining of dissimilar powder metallurgical preforms, 293
Dimensional deviation
Prediction of surface roughness and dimensional deviation by measuring cutting forces and vibrations in turning process, 203
Dislocation
A micro-mechanism model of residual stress reduction by low frequency alternating magnetic field treatment, 198
Dissimilar (copper–steel) P/M preform joining
Studies on cold solid state joining of dissimilar powder metallurgical preforms, 293
Dissipation factor
Development of the simple dielectric sensor for the cure monitoring of the high temperature composites, 168
Dual response methodology
Combined Taguchi and dual response method for optimization of a centerless grinding operation, 90
Dynamic impact loading
The crashing behaviour of motorcycle basket under impact loading, 1

Elasto-plastic analysis
Modelled and measured residual stresses in a bimaterial joint, 235
Electrical contact resistance
Carbon to cast iron electrical contact resistance constitutive model for finite element analysis, 119
Elements distribution
Investigation of abnormal wear of massive machine part-welded-technical chromium layer system, 219
Erosion
Material response to particle impact during abrasive jet machining of alumina ceramics, 177
External plunge grinding
Plunge grinding characteristics using the current signal of spindle motor, 58
Extrusion
An analysis of plastic flow through polygonal linearly converging dies: as applied to forward metal extrusion, 286
Extrusion pressure
Effects of die geometry and extrusion speed on the cold extrusion of aluminium and lead alloys, 274
Extrusion speed
Effects of die geometry and extrusion speed on the cold extrusion of aluminium and lead alloys, 274

Face milling cutter
Analysis of surface roughness and chip cross-sectional area while machining with self-propelled round inserts milling cutter, 305
Fe-diffused carbide cutting tool
Crater wear characteristics of an Fe-diffused carbide cutting tool, 255
Field coupling
Carbon to cast iron electrical contact resistance constitutive model for finite element analysis, 119
Filament wound laminated
Effect of hybridisation on crushing behaviour of carbon/glass fibre/epoxy circular–cylindrical shells, 49
Finite element
Carbon to cast iron electrical contact resistance constitutive model for finite element analysis, 119
Finite element analysis
Deep drawing process: analysis and experiment, 35
Finite element method
The crashing behaviour of motorcycle basket under impact loading, 1
Modelled and measured residual stresses in a bimaterial joint, 235
Flexural strength
Joining of ceramic green bodies and sintering characteristics, 269
Forging
Prediction of the process parameters of metal powder preform forging using artificial neural network (ANN), 227
Forging simulation
Die shape optimisation in forging of aerofoil sections, 21
Forming limit diagram
Tailor-welded blanks of different thickness ratios effects on forming limit diagrams, 95
Friction
The effect of slurry viscosity on chemical–mechanical polishing of silicon wafers, 28
Friction reduction
Fundamental aspects in vibration-assisted tapping, 345
Fused deposition modeling
Improvement of surface finish by staircase machining in fused deposition modeling, 323

Galling wear
Investigation of abnormal wear of massive machine part-welded-technical chromium layer system, 219
Germanium-selenium
Condensation process and physical properties of GeSe(In, Cd) thin films prepared by semi-closed space technique, 138

Hall sensor
Plunge grinding characteristics using the current signal of spindle motor, 58
High power ultrasonics
Ultrasonically assisted turning of aviation materials, 157

High-strength structural steel
The suitability of clinching as a joining method for high-strength structural steel, 242
Hole expansion
Effects of tempering temperature on tensile and hole expansion properties of a C–Mn steel, 215
Hot cutter machining
Improvement of surface finish by staircase machining in fused deposition modeling, 323
Hot forging
Validation of processing maps for a 15Cr–15Ni–2.2Mo–0.3Ti austenitic stainless steel using hot forging and rolling tests, 262
Hot-rolled steel
Numerical analysis of residual stress in hot-rolled steel strip on the run-out table, 184
Hybridisation
Effect of hybridisation on crushing behaviour of carbon/glass fibre/epoxy circular–cylindrical shells, 49

"In situ" technology
In situ diamond wires. Part II. The bronze 4 wt.% diamond composite cutting rope, 132
Iron aluminides
Analysis of milling of iron aluminides, 149
Joining
Joining of ceramic green bodies and sintering characteristics, 269

Kinematically admissible velocity field
An analysis of plastic flow through polygonal linearly converging dies: as applied to forward metal extrusion, 286

Laser
Surface structuring of poly(ethylene terephthalate) by UV excimer laser, 114
Layered manufacturing
Improvement of surface finish by staircase machining in fused deposition modeling, 323
Low stress wear behaviour
Wear behaviour of SiC reinforced 2124 Al alloy composite in RWAT system, 67

Machinability
Analysis of milling of iron aluminides, 149
Machining
Study of drilling metal–matrix composites based on the Taguchi techniques, 250
Magnetic treatment
A micro-mechanism model of residual stress reduction by low frequency alternating magnetic field treatment, 198
Martensite
Effects of tempering temperature on tensile and hole expansion properties of a C–Mn steel, 215
Material removal behavior
Material response to particle impact during abrasive jet machining of alumina ceramics, 177
Material sequence
Effect of hybridisation on crushing behaviour of carbon/glass fibre/epoxy circular–cylindrical shells, 49
MEMS
Patterning of diamond microstructures on Si substrate by bulk and surface micromachining, 73
Metal matrix composites
Design of optimisation of cutting parameters for turning metal matrix composites based on the orthogonal arrays, 340
Metal powder preform
Prediction of the process parameters of metal powder preform forging using artificial neural network (ANN), 227
Metal removal rate
Plunge grinding characteristics using the current signal of spindle motor, 58
Metal–matrix composites
Study of drilling metal–matrix composites based on the Taguchi techniques, 250
Microcracking
Grinding induced damage in ceramics, 353
Microhardness
Influence of orthogonal burnishing parameters on surface characteristics for various materials, 82
Microstructure
Effects of tempering temperature on tensile and hole expansion properties of a C–Mn steel, 215
Microstructures
Patterning of diamond microstructures on Si substrate by bulk and surface micromachining, 73
Milling
Analysis of milling of iron aluminides, 149
Monte Carlo simulation
Combined Taguchi and dual response method for optimization of a centerless grinding operation, 90
Motorcycle
The crashing behaviour of motorcycle basket under impact loading, 1
Mutual diffused layer
Crater wear characteristics of an Fe-diffused carbide cutting tool, 255

Nickel-based super alloys
Ultrasonically assisted turning of aviation materials, 157
Nitriding
Surface nitriding of titanium in arc plasma, 143

Offset curves
NC machining for revolved and swept surfaces with free-form profiles, 332
Orthogonal arrays
Design of optimisation of cutting parameters for turning metal matrix composites based on the orthogonal arrays, 340
Out of roundness error
Combined Taguchi and dual response method for optimization of a centerless grinding operation, 90
Out-of-roundness
Influence of orthogonal burnishing parameters on surface characteristics for various materials, 82

PET
Surface structuring of poly(ethylene terephthalate) by UV excimer laser, 114
PETEOS film stress
The effect of thin film stress levels on CMP polish rates for PETEOS wafers, 16
Phenolic resin
A cost effective route for the densification of carbon–carbon composites, 313
Plasma nitriding
Surface nitriding of titanium in arc plasma, 143
Plastic compression strain
Studies on cold solid state joining of dissimilar powder metallurgical preforms, 293
Polycarbosilane and dicobaltoctacarbonyl
A cost effective route for the densification of carbon–carbon composites, 313
Polysilane
A cost effective route for the densification of carbon–carbon composites, 313

Process optimization
Combined Taguchi and dual response method for optimization of a centerless grinding operation, 90
Process variations
Real time monitoring weld quality of resistance spot welding for the fabrication of sheet metal assemblies, 102
Processing maps
Validation of processing maps for a 15Cr–15Ni–2.2Mo–0.3Ti austenitic stainless steel using hot forging and rolling tests, 262
Prototype parts
Rapid tooling: selective laser sintering injection tooling, 42
Prototype tooling
Rapid tooling: selective laser sintering injection tooling, 42
Pulverization
Grinding induced damage in ceramics, 353

Quality
Effects of die geometry and extrusion speed on the cold extrusion of aluminium and lead alloys, 274

Rapid prototyping
Improvement of surface finish by staircase machining in fused deposition modeling, 323
Reactive ion etching
Patterning of diamond microstructures on Si substrate by bulk and surface micromachining, 73
Removal rate
The effect of thin film stress levels on CMP polish rates for PETEOS wafers, 16
Resident density ratio
Studies on cold solid state joining of dissimilar powder metallurgical preforms, 293
Residual stress
A micro-mechanism model of residual stress reduction by low frequency alternating magnetic field treatment, 198
Modelled and measured residual stresses in a bimaterial joint, 235
Roll forming
The application of roll forming for automotive structural parts, 9
Rolling
Validation of processing maps for a 15Cr–15Ni–2.2Mo–0.3Ti austenitic stainless steel using hot forging and rolling tests, 262
Rotary tools
Analysis of surface roughness and chip cross-sectional area while machining with self-propelled round inserts milling cutter, 305
RWAT system
Wear behaviour of SiC reinforced 2124 Al alloy composite in RWAT system, 67

S/N ratio
Combined Taguchi and dual response method for optimization of a centerless grinding operation, 90
Selective deposition
Patterning of diamond microstructures on Si substrate by bulk and surface micromachining, 73
Selective laser sintering
Rapid tooling: selective laser sintering injection tooling, 42
Semi-closed space
Condensation process and physical properties of GeSe(In, Cd) thin films prepared by semi-closed space technique, 138
Sintering
In situ diamond wires. Part II. The bronze 4 wt.% diamond composite cutting rope, 132
Prediction of the process parameters of metal powder preform forging using artificial neural network (ANN), 227
Specific crushing energy
Effect of hybridisation on crushing behaviour of carbon/glass fibre/epoxy circular–cylindrical shells, 49
Splaying mode
Effect of hybridisation on crushing behaviour of carbon/glass fibre/epoxy circular–cylindrical shells, 49
Springback
Effect of tool temperature on the reduction of the springback of aluminum sheets, 365
Staircase effect
Improvement of surface finish by staircase machining in fused deposition modeling, 323
Steels
Effects of tempering temperature on tensile and hole expansion properties of a C–Mn steel, 215
Stress ratio
Studies on cold solid state joining of dissimilar powder metallurgical preforms, 293
Stress reduction
A micro-mechanism model of residual stress reduction by low frequency alternating magnetic field treatment, 198
Surface roughness
Prediction of surface roughness and dimensional deviation by measuring cutting forces and vibrations in turning process, 203
Analysis of surface roughness and chip cross-sectional area while machining with self-propelled round inserts milling cutter, 305
Surface roundness
Influence of orthogonal burnishing parameters on surface characteristics for various materials, 82
Surface structuring
Surface structuring of poly(ethylene terephthalate) by UV excimer laser, 114
Swaging
In situ diamond wires. Part II. The bronze 4 wt.% diamond composite cutting rope, 132

Taguchi methodology
Combined Taguchi and dual response method for optimization of a centerless grinding operation, 90
Taguchi methods
Analysis of surface roughness and chip cross-sectional area while machining with self-propelled round inserts milling cutter, 305
Taguchi techniques
Study of drilling metal–matrix composites based on the Taguchi techniques, 250
Taguchi's techniques
Design of optimisation of cutting parameters for turning metal matrix composites based on the orthogonal arrays, 340
Tailor-welded blanks
Tailor-welded blanks of different thickness ratios effects on forming limit diagrams, 95
Tapping torque
Fundamental aspects in vibration-assisted tapping, 345
Technical chromium layer
Investigation of abnormal wear of massive machine part-welded-technical chromium layer system, 219
Thermal expansion
Numerical analysis of residual stress in hot-rolled steel strip on the run-out table, 184
Thermo-electro-mechanical
Carbon to cast iron electrical contact resistance constitutive model for finite element analysis, 119
Thickness ratio
Tailor-welded blanks of different thickness ratios effects on forming limit diagrams, 95
Titanium nitride
Surface nitriding of titanium in arc plasma, 143
Tool temperature control
Effect of tool temperature on the reduction of the springback of aluminum sheets, 365

Turning
Ultrasonically assisted turning of aviation materials, 157
Design of optimisation of cutting parameters for turning metal matrix composites based on the orthogonal arrays, 340

U-bending
Effect of tool temperature on the reduction of the springback of aluminum sheets, 365
Upper bound analysis
An analysis of plastic flow through polygonal linearly converging dies: as applied to forward metal extrusion, 286

Vibration
Prediction of surface roughness and dimensional deviation by measuring cutting forces and vibrations in turning process, 203
Vibration frequency and amplitude
Fundamental aspects in vibration-assisted tapping, 345
Vibration-assisted tapping
Fundamental aspects in vibration-assisted tapping, 345
Viscosity
The effect of slurry viscosity on chemical–mechanical polishing of silicon wafers, 28
Vitrified bonded wheel
Plunge grinding characteristics using the current signal of spindle motor, 58
Volume ratio
Studies on cold solid state joining of dissimilar powder metallurgical preforms, 293

Weld
Investigation of abnormal wear of massive machine part-welded-technical chromium layer system, 219
Weld join surface region structure
Investigation of abnormal wear of massive machine part-welded-technical chromium layer system, 219
Weld quality
Real time monitoring weld quality of resistance spot welding for the fabrication of sheet metal assemblies, 102
Welding
Modelled and measured residual stresses in a bimaterial joint, 235